Biosensors & Bioelectronics **6** (1991) 719–720

Author Index for Vol. 6

Adams, J. M., 151
Ahluwalia, A., 133
Alcock, S., 639
Alcock, S. J., 647
Alegret, S., 609
Alva, S., 663
Asai, M., 305, 311
Aston, W. J., 539
Ataka, T., 353
Atta, N. F., 333
Attridge, J. W., 193, 201
Avakian, T. S. M., 93

Badalian, I. E., 93
Barone, N. J., 151
Barrau, M.-B., 653
Bergveld, P., 55, 477
Bilitweski, U., 369
Bindra, D. S., 653
Bobbioni-Harsch, E., 31
Bogdanovskaya, V., 245
Bovara, R., 21
Bradley, J., 669
Breckenridge, L. J., 359
Brown, D. V., 615
Buck, R. P. 681
Buckmann, A., 245

Carrea, G., 21
Cass, A. E. G., 445
Chang, S.-M., 9, 293
Chaplin, M. F., 325
Chiba, T., 431
Claremont, D. J., 401
Clark, A. D., 325
Clerc, D., 227
Connolly, P., 359
Cribbs, D. H., 425
Cronenberg, C. C. H., 255

D'Costa, E. J., 109
Daniels, P. B., 201
Davidson, G. P., 193, 201
De La Rue, R. M., 595
De Rooij, N. F., 31
De Rossi, D., 133
Deacon, J. K., 193, 201
Dow, J. A. T., 359
Dransfeld, I., 245
Dunne, L. J., 325

Ebert, B., 293
Eldefrawi, M. E., 1, 507
Escalas, M. T., 609

Fare, T. L., 425

Galal, A., 333
Gamati, S., 125
Geise, R. J., 151
Ghini, S., 21
Girotti, S., 21
Gobin, P. T., 569
Goiser, P., 275, 555
Gopel, W., 343
Gotoh, M., 389
Gottesfeld, S., 143
Govil, G., 663
Greve, J., 477
Grigolo, B., 21
Grimaldi, R., 21
Groom, C. A., 547
Guilbault, G. G., 49
Gupta, S. S., 663

Hakanson, H., 101
Hammerle, M., 689
Harak, D. W., 589
Hintsche, R., 245
Holst, O., 101
Homma, R., 353
Honda, T., 431
Hoogvliet, J. C., 413
Hoshi, M., 15

Ikeda, T., 299
Ikegami, K., 395
Inoue, I., 431
Ismail, K. Z., 699

Jachimowicz, A., 275, 555
Jahnig, F., 233
Jeanrenaud, B., 31
Jobst, G., 555
Johansson, G., 245, 407
John, E., 233

Kamper, H., 275
Karagozler, A. E., 333
Karayannis, M., 647
Karube, I., 9, 293, 353, 389, 501, 675
Keedy, F. H., 491
Khachatrian, G. E., 93
Kiefer, H., 233
Kimura, J., 563
Kimura, K., 353
Kitajima, Y., 431
Kittsteiner-Eberle, R., 263
Klee, B., 233
Kohl, F., 275, 555
Kojima, N., 395
Kooyman, R. P. H., 477
Koudelka, M., 31
Kramer, P., 239
Kuan, S. S., 49
Kulys, J., 43, 109
Kuttner, H., 275

Lammert, R., 689
Laybourn, P. J. R., 595
Lekkala, J., 439
Lind, R., 359
Loffler, U., 343
Love, C. A., 193
Lukosz, W., 215, 227, 517
Luong, J. H. T., 117, 125, 547, 581

Magill, J. V., 595
Male, K. B., 117, 547, 581
Mann-Buxbaum, E., 275, 555
Mark, Jr, H. B., 333
Matsunaga, T., 431, 575
Matsushita, F., 299
Mattiasson, B., 101
Menking, D. E., 507
Meyerhoff, M. E., 615
Miyamoto, S., 563
Mizutani, F., 305, 311
Monici, M., 133
Mosbach, K., 179
Mottola, H. A., 589
Mulchandani, A., 117, 125
Murakami, T., 563
Muramatsu, H., 353

Nakamura, N., 431, 575
Narayanaswamy, R., 467
Nauer, G., 555
Nellen, Ph.M., 227, 517
Nepomuceno Navera, E., 675
Neumann, B., 245
Nonaka, M., 15

Olcaytug, F., 275, 555
Page, A. L., 193
Pfeiffer, D., 245
Phadke, R. S., 663
Pickup, J. C., 401, 639
Pittner, F., 275, 555

Renneberg, 245
Rishpon, J., 143
Roberts, P. R., 193
Robinson, G. A., 183, 193, 201
Roda, A., 21
Rogers, K. R., 1, 507
Rohner-Jeanrenaud, F., 31
Roulston, S. A., 325

0956-5663/91/$03.50 © 1991 Elsevier Science Publishers Ltd.

Ruger, P., 369
Russell, G. C., 333

Sadowski, J. W., 439
Saito, A., 563
Sasamoto, Y., 15
Satoh, I., 375
Schalkhammer, T., 275, 555
Schasfoort, R. B. M., 477
Scheller, F. W., 245
Schirone, A., 133
Schmid, R., 239
Schmid, R. D., 43, 669
Schmidt, H.-L., 689
Schomid, R. D., 369
Schubert, F., 245
Schuhmann, W., 263, 689
Senda, M., 299
Shaw, G. W., 401
Shigematsu, A., 575
Sim, K. W., 317
Simonian, A. L., 93
Skoog, M., 245, 407
Sode, K., 675
Stamm, Ch., 227
Stenger, D. A., 425
Stierhof, Y.-D., 233
Stops, J. E., 193
Sugama, A., 395
Suzuki, H., 395

Takei, F., 395
Tamiya, E., 9, 293, 501, 675
Tatikian, S. S. H., 93
Terpstra, M., 385, 461, 539, 633
Terrettaz, J., 31
Thavarungkul, P., 101
Thompson, R. G., 507
Thomson, A. M., 193
Ti Tien, H., 37
Tilado, O., 555
Tillyer, C. R., 569
Toyama, K., 15
Tsuruoka, M., 501
Turner, A. P. F., 647

Urban, G., 275, 555

Vadgama, P., 491
Valdes, J. J., 1, 507
Van Bennekom, W. P., 413
Van den Heuvel, J. C., 255
Van der Mark, E. J., 413
Van Os, P. J. H., 413
Vikholm, I., 439

Warsinke, A., 245
Watanabe, E., 15
Weber, S. G., 699
Weiss, P., 227
Whiteley, S. C., 193
Wiemhofer, H.-D., 343
Wilkinson, C. D. W., 359
Wilson, G. S., 653
Wollenberger, U., 245

Xie, X.-F., 49

Yabuki, S., 305, 311
Yacynych, A. M., 151
Yang, X., 245

Zaitsev, S. Yu, 245
Zhang, Y., 653
Zhao, J., 681
Zhou, L. Q., 445
Zhou, Y., 595
Zimmer, H., 333
Zini, I., 21
Zviman, M., 37

Biosensors & Bioelectronics **6** (1991) 721–726

Subject Index for Refereed Articles in Vol. 6

Acetylcholine
  development of acetylcholine sensor using carbon fiber (amperometric determination), 675
Adhesion
  single cell mobility and adhesion monitoring using extracellular electrodes, 359
Affinity
  principles and sensitivities of integrated optical and surface plasmon sensors for direct affinity sensing and immunosensing, 215
  thermal biosensors, 179
Agar gel
  determination of glucose diffusion coefficients in biofilms with micro-electrodes, 255
Alcohol dehydrogenase
  development of an amperometric alcohol sensor based on immobilized alcohol dehydrogenase and entrapped NAD, 563
Alcohol sensor
  bienzyme sensors based on chemically modified electrodes, 43
Alcohols
  bioelectrochemical detection of three alcohols based on a conducting organic salt electrode, 317
Allergic reaction
  detection of human leucocytes by cyclic voltammetry and its application to monitoring of allergic reaction, 431
Amino acid sensor
  bienzyme sensors based on chemically modified electrodes, 43
Amorphous carbons
  development of an enzyme substrate incorporating semiconducting amorphous carbons for use in biosensors, 325
Amperometric electrodes
  an FIA biosensor system for the determination of phosphate, 581
  electrocatalytic properties of polypyrrole in amperometric electrodes, 689
  in vivo behaviour of hypodermically implanted microfabricated glucose sensors, 31
Amperometric sensors
  amperometric biosensors: characterization of dispersed mediator systems, 343
  amperometric fructose sensor based on direct bioelectrocatalysis, 299
  an all-solid-state amperometric ethanol sensor, 681
  development of acetylcholine sensor using carbon fiber (amperometric determination), 675
  development of an amperometric alcohol sensor based on immobilized alcohol dehydrogenase and entrapped NAD, 563
  glucose biosensors based on thick film technology, 369
  modulation of a gated ion channel admittance in lipid bilayer membranes, 425
  preparation and characterization of an electroconductive membrane containing glutamate dehydrogenase, NADP and mediator, 311
  printed amperometric sensor based on TCNQ and cholinesterase, 109
Amperometry
  highly-sensitive measurement of hydroquinone with an enzyme electrode, 305
Analyte recycling
  second generation biosensors, 245
Antibiotics
  electrochemical detection of viable bacteria in urine and antibiotic selection, 575
Antibody
  optical immunosensing systems — meeting the market needs, 183
Antibody–antigen binding
  an evanescent fluorescence biosensor using ion- exchanged buried waveguides and the enhancement of peak fluorescence, 595
Antigen
  optical immunosensing systems — meeting the market needs, 183
Apoenzyme
  an apoenzyme thermistor microanalysis for zinc(II) ions with use of an immobilized alkaline phosphatase reactor in a flow system, 375
Aspartame
  determination of aspartame in dietary food products by an FIA biosensor, 117
ATP
  fish meat freshness sensing system for industrial use, 389

Bienzyme electrodes
  bienzyme sensors based on chemically modified electrodes, 43
Bilayer lipid membrane
  formation of a bilayer lipid membrane on rigid supports: an approach to BLM-based biosensors, 37
Biochemical transducers
  current developments in optical biochemical sensors, 467
Biocompatibility
  application of cell culture toxicity tests to the development of implantable biosensors, 653
Bioelectrocatalysis
  amperometric fructose sensor based on direct bioelectrocatalysis, 299
Biofilm
  determination of glucose diffusion coefficients in biofilms with micro-electrodes, 255
Bioluminescence
  microdialysis and luminescent probe: analytical and clinical aspects, 21
Blood
  continuous monitoring of urea in blood during dialysis, 101
  determination of urate in undiluted whole blood by enzyme electrode, 491
Blood coagulation factors
  a quartz crystal viscosity sensor for monitoring coagulation reaction and its application to a multichannel coagulation detector, 353

0965-5663/91/$03.50 © 1991 Elsevier Science Publishers Ltd.

Bridge molecule
modification of glassy carbon electrode surfaces with mediators and bridge molecules, 413
BSA membrane
development of an amperometric alcohol sensor based on immobilized alcohol dehydrogenase and entrapped NAD, 563

Calorimetric biosensor
an apoenzyme thermistor microanalysis for zinc(II) ions with use of an immobilized alkaline phosphatase reactor in a flow system, 375
Calorimetry
the construction of microcalorimetric biosensors by use of high resolution thin-film thermistors, 275
Carbon fiber
development of acetylcholine sensor using carbon fiber (amperometric determination), 675
Carbon-paste sensors
electrostatically immobilized hexacyanoferrate ions as redox mediators in biochemical sensing: controlled release and cyclic voltammetric behavior, 589
Catalase
determination of urate in undiluted whole blood by enzyme electrode, 491
the construction of microcalorimetric biosensors by use of high resolution thin-film thermistors, 275
Catechol
the development of a catechol enzyme electrode and its possible use for the diagnosis and monitoring of neural crest tumours, 569
Catecholamines
highly-sensitive measurement of hydroquinone with an enzyme electrode, 305
Cells
single cell mobility and adhesion monitoring using extracellular electrodes, 359
Cell culture
application of cell culture toxicity tests to the development of implantable biosensors, 653
Chemical amplification
highly-sensitive measurement of hydroquinone with an enzyme electrode, 305
Chemical labels
tris(2,2′-bipyridine)ruthenium(II) as a peroxide-producing replacement for enzymes as chemical labels, 699
Choline sensor
bienzyme sensors based on chemically modified electrodes, 43
Cholinesterase
printed amperometric sensor based on TCNQ and cholinesterase, 109
Coagulation
a quartz crystal viscosity sensor for monitoring coagulation reaction and its application to a multichannel coagulation detector, 353
Conducting organic salt
bioelectrochemical detection of three alcohols based on a conducting organic salt electrode, 317
Conducting polymers
electrochemistry and detection of some organic and biological molecules at conducting poly(3-methylthiophene) electrodes, 333
evaluation of polypyrrole/glucose oxidase electrodes in flow-injection systems for sucrose determination, 263
Conformational change
periplasmic binding protein based biosensors. 1: Preliminary study of maltose binding protein as sensing element for maltose biosensor, 445

Cyclic voltammetry
detection of human leucocytes by cyclic voltammetry and its application to monitoring of allergic reaction, 431
electrochemical detection of viable bacteria in urine and antibiotic selection, 575

Diabetes mellitus
in vitro testing of a simply constructed, highly stable glucose sensor suitable for implantation in diabetic patients, 401
Dialysis
continuous monitoring of urea in blood during dialysis, 101
Disposable sensors
glucose biosensors based on thick film technology, 369

Electrocatalysis
electrochemistry and detection of some organic and biological molecules at conducting poly(3-methylthiophene) electrodes, 333
Electrocatalytic properties
electrocatalytic properties of polypyrrole in amperometric electrodes, 689
Electrochemical cell
miniaturized thin-film biosensors using covalently immobilized glucose oxidase, 555
Electrochemical detection
electrochemical detection of viable bacteria in urine and antibiotic selection, 575
Electrochemical measurements
investigation of polypyrrole/glucose oxidase electrodes by ellipsometric, microgravimetric and electrochemical measurements, 143
Electrode modification
modification of glassy carbon electrode surfaces with mediators and bridge molecules, 413
Electrodes
electropolymerized films to prevent interferences and electrode fouling in biosensors, 151
miniaturized thin-film biosensors using covalently immobilized glucose oxidase, 555
Electron spin resonance
development of an enzyme substrate incorporating semiconducting amorphous carbons for use in biosensors, 325
Electropolymerized films
electropolymerized films to prevent interferences and electrode fouling in biosensors, 151
Ellipsometry
investigation of polypyrrole/glucose oxidase electrodes by ellipsometric, microgravimetric and electrochemical measurements, 143
Enzymatic stripping
second generation biosensors, 245
Enzyme analyzer
a flow-through enzyme analyzer for determination of L-lysine concentration, 93
Enzyme channeling
potentiometric enzyme channeling immunosensor for proteins, 615
Enzyme electrodes
a simplified fructose biosensor, 49
amperometric fructose sensor based on direct bioelectrocatalysis, 299
determination of urate in undiluted whole blood by enzyme electrode, 491
glucose biosensors based on thick film technology, 369
evaluation of polypyrrole/glucose oxidase electrodes in flow-injection systems for sucrose determination, 263
highly-sensitive measurement of hydroquinone with an enzyme electrode, 305

in vitro testing of a simply constructed, highly stable glucose sensor suitable for implantation in diabetic patients, 401
internal supply of coenzyme to an amperometric glucose biosensor based on a chemically modified electrode, 407
optimisation of a biosensor for *in situ* fermentation monitoring of glucose concentration, 669
the development of a catechol enzyme electrode and its possible use for the diagnosis and monitoring of neural crest tumours, 569
Enzyme membrane
preparation and characterization of an electroconductive membrane containing glutamate dehydrogenase, NADP and mediator, 311
Ethanol sensor
an all-solid-state amperometric ethanol sensor, 681

Fermentation
optimisation of a biosensor for *in situ* fermentation monitoring of glucose concentration, 669
Fermenter
a miniature Clark-type oxygen electrode using a polyelectrolyte and its application as a glucose sensor, 395
Ferrocene
amperometric biosensors: characterization of dispersed mediator systems, 343
FET devices
a critical evaluation of direct electrical protein detection methods, 55
FIA biosensor
an FIA biosensor system for the determination of phosphate, 581
Fibre optics
current developments in optical biochemical sensors, 467
effects of receptor concentration, media pH and storage on nicotinic receptor-transmitted signal in fiber-optic biosensor, 1
pharmacological specificity of a nicotinic acetylcholine receptor optical sensor, 507
Fibroblast
single cell mobility and adhesion monitoring using extracellular electrodes, 359
Fish
a microbial biosensor for trimethylamine using Pseudomonas aminovorans cells, 125
fish meat freshness sensing system for industrial use, 389
microbial sensor system for nondestructive evaluation of fish meat quality, 15
FITC-neurotoxins
effects of receptor concentration, media pH and storage on nicotinic receptor-transmitted signal in fiber-optic biosensor, 1
Flow sensor
microdialysis and luminescent probe: analytical and clinical aspects, 21
Flow-injection biosensing
an apoenzyme thermistor microanalysis for zinc(II) ions with use of an immobilized alkaline phosphatase reactor in a flow system, 375
determination of aspartame in dietary food products by a FIA biosensor, 117
Flow-through analyzer
a flow-through enzyme analyzer for determination of L-lysine concentration, 93
Fluorescence
fluorescence polarization employing immobilized antibody, 501
periplasmic binding protein based biosensors. 1: preliminary study of maltose binding protein as sensing element for maltose biosensor, 445
thermodynamic study of Langmuir antibody films for application to immunosensors, 133
Fouling
electropolymerized films to prevent interferences and electrode fouling in biosensors, 151
Freshness
fish meat freshness sensing system for industrial use, 389
Fructose
amperometric fructose sensor based on direct bioelectrocatalysis, 299
a simplified fructose biosensor, 49

Gated ion channel
modulation of a gated ion channel admittance in lipid bilayer membranes, 425
Glassy carbon
modification of glassy carbon electrode surfaces with mediators and bridge molecules, 413
Glucose
amperometric biosensors: characterization of dispersed mediator systems, 343
determination of glucose diffusion coefficients in biofilms with micro-electrodes, 255
development of an enzyme substrate incorporating semiconducting amorphous carbons for use in biosensors, 325
electropolymerized films to prevent interferences and electrode fouling in biosensors, 151
glucose biosensors based on thick film technology, 369
optimisation of a biosensor for *in situ* fermentation monitoring of glucose concentration, 669
Glucose dehydrogenase
internal supply of coenzyme to an amperometric glucose biosensor based on a chemically modified electrode, 407
Glucose electrode
second generation biosensors, 245
Glucose oxidase
evaluation of polypyrrole/glucose oxidase electrodes in flow-injection systems for sucrose determination, 263
in vitro testing of a simply constructed, highly stable glucose sensor suitable for implantation in diabetic patients, 401
investigation of polypyrrole/glucose oxidase electrodes by ellipsometric, microgravimetric and electrochemical measurements, 143
miniaturized thin-film biosensors using covalently immobilized glucose oxidase, 555
the construction of microcalorimetric biosensors by use of high resolution thin-film thermistors, 275
Glucose sensor
a miniature Clark-type oxygen electrode using a polyelectrolyte and its application as a glucose sensor, 395
application of cell culture toxicity tests to the development of implantable biosensors, 653
glucose oxidase immobilized electrode for potentiometric estimation of glucose, 663
in vitro testing of a simply constructed, highly stable glucose sensor suitable for implantation in diabetic patients, 401
in vivo behaviour of hypodermically implanted microfabricated glucose sensors, 31
Glutamate
preparation and characterization of an electroconductive membrane containing glutamate dehydrogenase, NADP and mediator, 311
Grating couplers
model experiments with integrated optical input grating couplers as direct immunosensors, 517

output grating couplers on planar optical waveguides as direct immunosensors, 227

Herbicides
flow injection immunoanalysis (FIIA) — a new immunoassay format for the determination of pesticides in water, 239
Hexacyanoferrate ions
electrostatically immobilized hexacyanoferrate ions as redox mediators in biochemical sensing: controlled release and cyclic voltammetric behavior, 589
Human chorionic gonadotrophin
an assay for human chorionic gonadotrophin using the capillary fill immunosensor, 193
sensitivity enhancement of optical immunosensors by the use of a surface plasmon resonance fluoroimmunoassay, 201
Humic acid
potentiometric sensors based on humic substances, 609
Hydrogen electrode
development of an enzyme substrate incorporating semiconducting amorphous carbons for use in biosensors, 325
Hydrogen peroxide sensor
bienzyme sensors based on chemically modified electrodes, 43
Hydroquinone
highly-sensitive measurement of hydroquinone with an enzyme electrode, 305

Immobilization
an evanescent fluorescence biosensor using ion- exchanged buried waveguides and the enhancement of peak fluorescence, 595
miniaturized thin-film biosensors using covalently immobilized glucose oxidase, 555
periplasmic binding protein based biosensors. 1: Preliminary study of maltose binding protein as sensing element for maltose biosensor, 445
Immobilized antibody
fluorescence polarization employing immobilized antibody, 501
Immobilized enzymes
a flow-through enzyme analyzer for determination of L-lysine concentration, 93
an apoenzyme thermistor microanalysis for zinc(II) ions with use of an immobilized alkaline phosphatase reactor in a flow system, 375
a simplified fructose biosensor, 49
determination of aspartame in dietary food products by a FIA biosensor, 117
development of acetylcholine sensor using carbon fiber (amperometric determination), 675
glucose oxidase immobilized electrode for potentiometric estimation of glucose, 663
internal supply of coenzyme to an amperometric glucose biosensor based on a chemically modified electrode, 407
microdialysis and luminescent probe: analytical and clinical aspects, 21
Immobilized reagents
current developments in optical biochemical sensors, 467
Immobilized receptor
effects of receptor concentration, media pH and storage on nicotinic receptor-transmitted signal in fiber-optic biosensor, 1
Immobilized redox mediators
electrostatically immobilized hexacyanoferrate ions as redox mediators in biochemical sensing: controlled release and cyclic voltammetric behaviour, 589
Immobilized yeast
determination of glucose diffusion coefficients in biofilms with micro-electrodes, 255
Immunoassay
flow injection immunoanalysis (FIIA) — a new immunoassay format for the determination of pesticides in water, 239
tris(2,2′-bipyridine)ruthenium(II) as a peroxide-producing replacement for enzymes as chemical labels, 699
Immunoglobulin E
detection of human leucocytes by cyclic voltammetry and its application to monitoring of allergic reaction, 431
Immunoglobulin G
fluorescence polarization employing immobilized antibody, 501
potentiometric enzyme channeling immunosensor for proteins, 615
thermodynamic study of Langmuir antibody films for application to immunosensors, 133
Immunosensors
a critical evaluation of direct electrical protein detection methods, 55
an assay for human chorionic gonadotrophin using the capillary fill immunosensor, 193
an evanescent fluorescence biosensor using ion-exchanged buried waveguides and the enhancement of peak fluorescence, 595
model experiments with integrated optical input grating couplers as direct immunosensors, 517
optical immunosensing systems — meeting the market needs, 183
output grating couplers on planar optical waveguides as direct immunosensors, 227
potentiometric enzyme channeling immunosensor for proteins, 615
principles and sensitivities of integrated optical and surface plasmon sensors for direct affinity sensing and immunosensing, 215
sensitivity enhancement of optical immunosensors by the use of a surface plasmon resonance fluoroimmunoassay, 201
the ion-step-induced response of membrane-coated ISFETs: theoretical description and experimental verification, 477
thermodynamic study of Langmuir antibody films for application to immunosensors, 133
In vivo experiments
in vivo behaviour of hypodermically implanted microfabricated glucose sensors, 31
Integrated optics
model experiments with integrated optical input grating couplers as direct immunosensors, 517
principles and sensitivities of integrated optical and surface plasmon sensors for direct affinity sensing and immunosensing, 215
Interference
electropolymerized films to prevent interferences and electrode fouling in biosensors, 151
Ion-selective electrode
potentiometric enzyme channeling immunosensor for proteins, 615
Ion-sensitive field effect transistor
the ion-step-induced response of membrane-coated ISFETs: theoretical description and experimental verification, 477
Lactate
microdialysis and luminescent probe: analytical and clinical aspects, 21
Lactose
biosensors based on membrane transport proteins, 233

Langmuir–Blodgett films
development of chemical vapour sensor using SAW resonator oscillator incorporating odorant receptive LB films, 293
thermodynamic study of Langmuir antibody films for application to immunosensors, 133
Leucocyte
detection of human leucocytes by cyclic voltammetry and its application to monitoring of allergic reaction, 431
Lipid bilayer
modulation of a gated ion channel admittance in lipid bilayer membranes, 425
Lipids
chemical vapour sensor using a SAW resonator, 9
development of chemical vapour sensor using SAW resonator oscillator incorporating odorant receptive LB films, 293
formation of a bilayer lipid membrane on rigid supports: an approach to BLM-based biosensors, 37
L-Lysine
a flow-through enzyme analyzer for determination of L-lysine concentration, 93

Maltose binding protein
periplasmic binding protein based biosensors. 1: Preliminary study of maltose binding protein as sensing element for maltose biosensor, 445
Market needs
optical immunosensing systems — meeting the market needs, 183
Media pH
effects of receptor concentration, media pH and storage on nicotinic receptor-transmitted signal in fiber-optic biosensor, 1
Mediator
modification of glassy carbon electrode surfaces with mediators and bridge molecules, 413
Membrane potential
the ion-step-induced response of membrane-coated ISFETs: theoretical description and experimental verification, 477
Membrane transport proteins
biosensors based on membrane transport proteins, 233
Metal ions
glucose oxidase immobilized electrode for potentiometric estimation of glucose, 663
Methylamines
a microbial biosensor for trimethylamine using Pseudomonas aminovorans cells, 125
Micelle
amperometric biosensors: characterization of dispersed mediator systems, 343
Microbial sensor system
microbial sensor system for nondestructive evaluation of fish meat quality, 15
Microdialysis
microdialysis and luminescent probe: analytical and clinical aspects, 21
Microgravimetry
investigation of polypyrrole/glucose oxidase electrodes by ellipsometric, microgravimetric and electrochemical measurements, 143
Microsensor
determination of glucose diffusion coefficients in biofilms with micro-electrodes, 255
Mobility
single cell mobility and adhesion monitoring using extracellular electrodes, 359

NAD^+
development of an amperometric alcohol sensor based on immobilized alcohol dehydrogenase and entrapped NAD, 563
NADH
bioelectrochemical detection of three alcohols based on a conducting organic salt electrode, 317
internal supply of coenzyme to an amperometric glucose biosensor based on a chemically modified electrode, 407
Neuroblastoma
the development of a catechol enzyme electrode and its possible use for the diagnosis and monitoring of neural crest tumours, 569
Neuron
single cell mobility and adhesion monitoring using extracellular electrodes, 359
Nicotinic acetylcholine recept
effects of receptor concentration, media pH and storage on nicotinic receptor-transmitted signal in fiber-optic biosensor, 1
pharmacological specificity of a nicotinic acetylcholine receptor optical sensor, 507
Nondestructive evaluation
microbial sensor system for nondestructive evaluation of fish meat quality, 15
Nucleoside phosphorylase
an FIA biosensor system for the determination of phosphate, 581

Odour sensor
chemical vapour sensor using a SAW resonator, 9
development of chemical vapour sensor using SAW resonator oscillator incorporating odorant receptive LB films, 293
Optical detection
biosensors based on surface plasmons excited in non-noble metals, 439
Optical sensors
an assay for human chorionic gonadotrophin using the capillary fill immunosensor, 193
current developments in optical biochemical sensors, 467
optical immunosensing systems — meeting the market needs, 183
pharmacological specificity of a nicotinic acetylcholine receptor optical sensor, 507
sensitivity enhancement of optical immunosensors by the use of a surface plasmon resonance fluoroimmunoassay, 201
Optical waveguides
an evanescent fluorescence biosensor using ion-exchanged buried waveguides and the enhancement of peak fluorescence, 595
model experiments with integrated optical input grating couplers as direct immunosensors, 517
output grating couplers on planar optical waveguides as direct immunosensors, 227
principles and sensitivities of integrated optical and surface plasmon sensors for direct affinity sensing and immunosensing, 215
Oxygen consumption
a microbial biosensor for trimethylamine using Pseudomonas aminovorans cells, 125
Oxygen electrode
a miniature Clark-type oxygen electrode using a polyelectrolyte and its application as a glucose sensor, 395

Peroxide
tris(2,2′-bipyridine)ruthenium(II) as a peroxide-producing replacement for enzymes as chemical labels, 699

Pesticides
flow injection immunoanalysis (FIIA) — a new immunoassay format for the determination of pesticides in water, 239
Phosphate
an FIA biosensor system for the determination of phosphate, 581
Photoelectroanalytical chemistry
tris(2,2′-bipyridine)ruthenium(II) as a peroxide-producing replacement for enzymes as chemical labels, 699
Piezoelectric crystal
chemical vapour sensor using a SAW resonator, 9
Polyelectrolyte
a miniature Clark-type oxygen electrode using a polyelectrolyte and its application as a glucose sensor, 395
Polyphenol oxidase
the development of a catechol enzyme electrode and its possible use for the diagnosis and monitoring of neural crest tumours, 569
Polypyrrole
electrocatalytic properties of polypyrrole in amperometric electrodes, 689
evaluation of polypyrrole/glucose oxidase electrodes in flow-injection systems for sucrose determination, 263
investigation of polypyrrole/glucose oxidase electrodes by ellipsometric, microgravimetric and electrochemical measurements, 143
Potentiometry
glucose oxidase immobilized electrode for potentiometric estimation of glucose, 663
potentiometric sensors based on humic substances, 609
Proteins
a critical evaluation of direct electrical protein detection methods, 55
potentiometric enzyme channeling immunosensor for proteins, 615

Ruthenium
tris(2,2′-bipyridine)ruthenium(II) as a peroxide-producing replacement for enzymes as chemical labels, 699

SAW devices
chemical vapour sensor using a SAW resonator, 9
development of chemical vapour sensor using SAW resonator oscillator incorporating odorant receptive LB films, 293
Serotonin
detection of human leucocytes by cyclic voltammetry and its application to monitoring of allergic reaction, 431
Solid-state sensor
an all-solid-state amperometric ethanol sensor, 681
Storage
effects of receptor concentration, media pH and storage on nicotinic receptor-transmitted signal in fiber-optic biosensor, 1
Subcutaneous glucose
in vivo behaviour of hypodermically implanted microfabricated glucose sensors, 31
Sucrose
evaluation of polypyrrole/glucose oxidase electrodes in flow-injection systems for sucrose determination, 263
Supported membrane
biosensors based on membrane transport proteins, 233
Surface plasmon resonance
biosensors based on surface plasmons excited in non-noble metals, 439
principles and sensitivities of integrated optical and surface plasmon sensors for direct affinity sensing and immunosensing, 215
sensitivity enhancement of optical immunosensors by the use of a surface plasmon resonance fluoroimmunoassay, 201

TCNQ
printed amperometric sensor based on TCNQ and cholinesterase, 109
Thermal biosensors
thermal biosensors, 179
Thermistors
the construction of microcalorimetric biosensors by use of high resolution thin-film thermistors, 275
TIRF
biosensors based on membrane transport proteins, 233
TMS theory
the ion-step-induced response of membrane-coated ISFETs: theoretical description and experimental verification, 477
Toxicity test
application of cell culture toxicity tests to the development of implantable biosensors, 653
Toxins
pharmacological specificity of a nicotinic acetylcholine receptor optical sensor, 507
Transition metals
biosensors based on surface plasmons excited in non-noble metals, 439

Urate
determination of urate in undiluted whole blood by enzyme electrode, 491
Urea
continuous monitoring of urea in blood during dialysis, 101
glucose oxidase immobilized electrode for potentiometric estimation of glucose, 663
Uricase
determination of urate in undiluted whole blood by enzyme electrode, 491
Urine
electrochemical detection of viable bacteria in urine and antibiotic selection, 575
the development of a catechol enzyme electrode and its possible use for the diagnosis and monitoring of neural crest tumours, 569

Vapour sensor
development of chemical vapour sensor using SAW resonator oscillator incorporating odorant receptive LB films, 293
Viscosity
a quartz crystal viscosity sensor for monitoring coagulation reaction and its application to a multichannel coagulation detector, 353
Voltammetry
development of an enzyme substrate incorporating semiconducting amorphous carbons for use in biosensors, 325
electrochemistry and detection of some organic and biological molecules at conducting poly(3-methylthiophene) electrodes, 333

Water
flow injection immunoanalysis (FIIA) — a new immunoassay format for the determination of pesticides in water, 239

Xanthine oxidase
an FIA biosensor system for the determination of phosphate, 581

Zinc(II) ions
an apoenzyme thermistor microanalysis for zinc(II) ions with use of an immobilized alkaline phosphatase reactor in a flow system, 375